

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




62, 13  
SECTION OF NOMENCLATURE

RETURN TO POMOLOGY

MAY 5 - 1916

PRICE-LIST, 1910

RETURN TO POMOLOGY OF  
SECTION OF NOMENCLATURE



# Native Ferns, Wild Flowers and Shrubs



IRVING HOLCOMB

Simsbury, Connecticut

All stock collected to order.

All stock packed and delivered at express or freight station in Simsbury, Conn.

All stock shipped at purchaser's risk.

Terms.—Cash with order from unknown parties, or satisfactory reference.

Address all communications to

IRVING HOLCOMB

Simsbury, Conn.

R. F. D. No. 1

## WILD FLOWERS


	Per 10	100	1,000
	\$0 15	\$1 00	\$9 00
<i>Acorus Calamus</i> . . . . .	25	1 60	
<i>Aletris farinosa</i> . . . . .	15	1 25	
<i>Apios tuberosa</i> . . . . .	25	2 00	
<i>Asarum Canadense</i> . . . . .	80		
<i>Actæa alba</i> . . . . .	75		
<i>Adlumia cirrhosa</i> . . . . .	20	1 75	14 00
<i>Calopogon pulchellus</i> . . . . .	20	1 25	8 00
<i>Caltha palustris</i> . . . . .	40	4 00	
<i>Campanula rotundifolia</i> . . . . .	15	1 00	8 00
<i>Chimaphila umbellata</i> . . . . .	30	3 00	
<i>Chimaphila maculata</i> . . . . .	15	1 00	7 00
<i>Coptis trifolia</i> . . . . .	30	2 00	12 00
<i>Cypripedium acaule</i> . . . . .	35	2 75	15 00
<i>Clintonia borealis</i> . . . . .	50	4 50	
<i>Claytonia Virginica</i> . . . . .	1 00		
<i>Clematis Virginiana</i> . . . . .	50	3 00	
<i>Collinsonia Canadensis</i> . . . . .	1 00		
<i>Chelone glabra</i> . . . . .	25		
<i>Drosera rotundifolia</i> . . . . .	20	1 50	
<i>Epigæa repens</i> . . . . .	20	1 75	
<i>Erythronium Americanum</i> . . . . .	30	3 00	
<i>Equisetum hiemale</i> . . . . .	15	1 00	8 00
<i>Gaultheria procumbens</i> . . . . .	50	4 00	
<i>Gentiana Andrewsii</i> . . . . .	20	1 00	8 00
<i>Geranium Robertianum</i> . . . . .	20	1 75	14 00
<i>Goodyera pubescens</i> . . . . .	20	1 00	8 00
<i>Hemerocallis fulva</i> . . . . .	20	2 00	
<i>Hepatica triloba</i> . . . . .	50	4 50	
<i>Hydrastris Canadensis</i> . . . . .	25	2 00	15 00
<i>Iris versicolor</i> . . . . .	30	2 25	19 00
<i>Lilium Canadense</i> . . . . .			

## WILD FLOWERS, continued

	Per 10	100	1,000
<i>Lilium Philadelphicum</i> . . . . .	\$0 35	\$2 50	\$21 00
<i>Lobelia cardinalis</i> . . . . .	30	2 00	
<i>Limnanthemum lacunosum</i> . . . . .	50	4 00	
<i>Menyanthes trifoliata</i> . . . . .	35	3 00	
<i>Mitchella repens</i> . . . . .	20	75	5 00
<i>Melissa officinalis</i> . . . . .	40	3 00	
<i>Mentha piperita</i> . . . . .	30	2 00	
<i>Nepeta Glechoma</i> . . . . .	15	1 00	
<i>Nepeta Cataria</i> . . . . .	50		
<i>Nymphæa odorata</i> . . . . .	60		
<i>Orontium aquaticum</i> . . . . .	30	3 00	
<i>Ranunculus bulbosus</i> . . . . .	20	1 25	8 00
<i>Rhexia Virginica</i> . . . . .	20	1 25	8 00
<i>Sagittaria variabilis</i> . . . . .	25	2 25	8 00
<i>Sanguinaria Canadensis</i> . . . . .	25	1 50	12 00
<i>Sarracenia purpurea</i> . . . . .	50		
<i>Smilacina racemosa</i> . . . . .	30	2 00	
<i>Senecio aureus</i> . . . . .	35	3 00	15 00
<i>Trillium erectum</i> . . . . .	25	2 00	15 00
<i>Tanacetum vulgare</i> . . . . .	30	2 00	14 00
<i>Veronica Virginica</i> . . . . .	75	5 00	
<i>Viola blanda</i> . . . . .	25	2 00	14 00
<i>Viola pubescens</i> . . . . .	40		
<i>Viola rotundifolia</i> . . . . .	30	2 75	
<i>Viola pedata</i> . . . . .	20	1 75	10 00
<i>Viola sagittata</i> . . . . .	20	1 75	11 00

## FERNS

<i>Adiantum pedatum</i> . . . . .	35	2 00	12 00
<i>Aspidium cristatum</i> . . . . .	30	2 00	
<i>Aspidium marginale</i> . . . . .	20	1 50	11 00
<i>Aspidium spinulosum</i> . . . . .	20	1 75	12 00
<i>Aspidium Thelypteris</i> . . . . .	15	1 00	7 00
<i>Aspidium Noveboracense</i> . . . . .	25	2 00	
<i>Asplenium ebeneum</i> . . . . .	20	1 50	
<i>Asplenium Trichomanes</i> . . . . .	20	1 25	11 00
<i>Asplenium thelypteroides</i> . . . . .	30	2 25	
<i>Asplenium Filix-fœmina</i> . . . . .	25	1 75	15 00
<i>Botrychium Virginianum</i> . . . . .	35	3 00	
<i>Botrychium ternatum</i> . . . . .	30	3 00	
<i>Cystopteris fragilis</i> . . . . .	30	2 50	




MAY 5 - 1916

# NATIVE TREES, SHRUBS AND WOODY VINES GROWING IN GRANBY, CONN., AND VICINITY

White Oak	<i>Quercus alba</i>	L.	Dwarf Sumach	<i>Rhus copallina</i>	L.
Swamp White Oak	<i>Quercus bicolor</i>	Willd.	Poison Ivy	<i>Rhus Toxicodendron</i>	L.
Chestnut Oak	<i>Quercus Prinus</i>	L.	Poison Sumach	<i>Rhus Venenata</i>	D. C.
Scarlet Oak	<i>Quercus Coccinea</i>	Wang.	Fox Grape	<i>Vitis Labrusca</i>	L.
Black Oak	<i>Quercus tinctoria</i>	Bartram.	Summer Grape	<i>Vitis æstivalis</i>	Michx.
Red Oak	<i>Quercus rubra</i>	L.	Frost Grape	<i>Vitis cordifolia</i>	Michx.
Pin Oak	<i>Quercus palustris</i>	Du Roi.	Virginian Creeper	<i>Ampelopsis quinquefolia</i>	Michx.
Black Scrub Oak	<i>Quercus ilicifolia</i>	Wang.	Red Root	<i>Ceanothus Americanus</i>	L.
Dwarf Chestnut Oak	<i>Quercus humilis</i>	Marsh.	Bladder Nut	<i>Staphylea trifolia</i>	L.
Chestnut	<i>Castanea Vesca</i>	L.	Meadow Sweet	<i>Spiræa salicifolia</i>	L.
American Beach	<i>Fagus ferruginea</i>	Ait.	Hardhack	<i>Spiræa tomentosa</i>	L.
Hop Hornbeam	<i>Ostrya Virginica</i>	Willd.	Scarlet Fruited Thorn	<i>Cratægus coccinea</i>	L.
Blue Beach	<i>Carpinus Americana</i>	Michx.	Cockspur Thorn	<i>Cratægus Crus-galli</i>	L.
Black Birch	<i>Betula lenta</i>	L.	Wild Gooseberry	<i>Ribes Cynosdati</i>	L.
Yellow Birch	<i>Betula lutea</i>	Michx.	Wild Black Currant	<i>Ribes floridum</i>	L.
White Birch	<i>Betula alba</i>	Spach.	Flowering Dogwood	<i>Cornus Florida</i>	L.
Paper Birch	<i>Betula papyracea</i>	Ait.	Round Leaved Dogwood	<i>Cornus Circinata</i>	L. Fer.
Large Toothed Aspen	<i>Populus grandidentata</i>	Michx.	Silky Cornus	<i>Cornus sericea</i>	L.
American Aspen	<i>Populus tremuloides</i>	Michx.	Red Osier	<i>Cornus stolonifera</i>	Michx.
Sugar Maple	<i>Acer saccharinum</i>	Wang.	Panicked Dogwood	<i>Cornus paniculata</i>	L. Hea.
Silver Maple	<i>Acer dasycarpum</i>	Ehrhart	Alternate Leaved Dogwood	<i>Cornus alternifolia</i>	L.
Red Maple	<i>Acer rubrum</i>	L.	Dwarf Cornel	<i>Cornus Canadensis</i>	L.
Mountain Maple	<i>Acer spicatum</i>	Lam.	Redberried Elder	<i>Sambucus pubens</i>	Michx.
Striped Maple	<i>Acer Pennsylvanicum</i>	L.	Common Elder	<i>Sambucus Canadensis</i>	L.
Red Ash	<i>Fraxinus Pubescens</i>	Lam.	Button Bush	<i>Cephalanthus occidentalis</i>	L.
White Ash	<i>Fraxinus Americana</i>	L.	Sweet Viburnum	<i>Viburnum Lentago</i>	L.
Black Ash	<i>Fraxinus sambucifolia</i>	Lam.	Arrow Wood	<i>Viburnum dentatum</i>	L.
Sycamore	<i>Platanus occidentalis</i>	L.	Maple Leaved Arrow Wood	<i>Viburnum acerifolium</i>	L.
Butternut	<i>Juglans cinerea</i>	L.	Hobble Bush	<i>Viburnum lantanoides</i>	Michx.
Black-Walnut	<i>Juglans nigra</i>	L.	Cranberry Bush	<i>Viburnum Opulus</i>	L.
Shellbark Hickory	<i>Carya alba</i>	Nutt.	Downy Arrow Wood	<i>Viburnum pubescens</i>	Push.
Whitehearted Hickory	<i>Carya tomentosa</i>	Nutt.	With-rod	<i>Viburnum cassinoides</i>	L.
Brown Hickory	<i>Carya porcina</i>	Nutt.	Black Huckleberry	<i>Gaylussacia resinosa</i>	Torr. & Gray.
Swamp Hickory	<i>Carya amara</i>	Nutt.	Dangleberry	<i>Gaylussacia frondosa</i>	Torr. & Gray.
Pepperidge	<i>Nyssa multiflora</i>	Wang.	Dwarf Blueberry	<i>Vaccinium Pennsylvanicum</i>	Lam.
Mountain Ash	<i>Pyrus Americana</i>	D. C.	Blueberry	<i>Vaccinium vacillans</i>	Sabads.
Choke Berry	<i>Pyrus arbutifolia</i>	L.	Swamp Blueberry	<i>Vaccinium corymbosum</i>	L.
Dog Berry	<i>Pyrus nigra</i>	Marsh.	Leather Leaf	<i>Cassandra calyculata</i>	Don.
Shadbush	<i>Amelanchier Canadensis</i>	Torry & Gray.	Rosemary	<i>Andromeda polifolia</i>	L.
Wild Yellow Plum	<i>Prunus Americana</i>	Marshall	Andromeda	<i>Andromeda ligustrina</i>	Muhl.
Choke Cherry	<i>Prunus Virginiana</i>	L.	Mountain Laurel	<i>Kalmia latifolia</i>	L.
Wild Red Cherry	<i>Prunus Pennsylvanica</i>	L.	Sheep Laurel	<i>Kalmia augustifolia</i>	L.
Black Cherry	<i>Prunus serotina</i>	Ehrhart	Pale Laurel	<i>Kalmia glauca</i>	Ait.
Dwarf Cherry	<i>Prunus pumila</i>	L.	Great Laurel	<i>Rhododendron maximum</i>	L.
White Pine	<i>Pinus Strobus</i>	L.	White Honeysuckle	<i>Azalea viscosa</i>	L.
Red Pine	<i>Pinus resinosa</i>	Ait.	Purple Azalea	<i>Azalea nudiflora</i>	L.
Pitch Pine	<i>Pinus ridiga</i>	Miller	Rodora	<i>Rhodora Canadensis</i>	L.
Black Spruce	<i>Abies nigra</i>	Poir.	Black Alder	<i>Ilex verticillata</i>	Gray.
Hemlock	<i>Abies Canadensis</i>	Michx.	Smooth Winterberry	<i>Ilex lævigata</i>	Gray.
Hackmatack	<i>Larix Americana</i>	Michx.	Spice Bush	<i>Lindera Benzoin</i>	Meisner.
Juniper	<i>Juniperus communis</i>	L.	Moose Wood	<i>Disca palustris</i>	L.
Red Cedar	<i>Juniperus Virginiana</i>	L.	Sweet Fern	<i>Comptonia asplenifolia</i>	Ait.
Ground Hemlock	<i>Taxus Canadensis</i>	Willd.	Wax-Myrtle	<i>Myrica cerifera</i>	L.
Hackberry	<i>Celtis occidentalis</i>	L.	Wax Work	<i>Celastrus scandens</i>	L.
Red Elm	<i>Ulmus fulva</i>	Mich.	Fly Honeysuckle	<i>Lonicera ciliata</i>	Muhl.
White Elm	<i>Ulmus Americana</i>	L.	Mountain Fly Honeysuckle	<i>Lonicera cærulea</i>	L.
Red Mulberry	<i>Morus rubra</i>	L.	Small Honeysuckle	<i>Lonicera parviflora</i>	Lam.
Speckled Alder	<i>Alnus incana</i>	Willd.	Hazel-nut	<i>Corylus Americana</i>	Walt.
Smooth Alder	<i>Alnus serrulata</i>	Ait.	Beaked Hazel-nut	<i>Corylus rostrata</i>	Ait.
Heartleaved Willow	<i>Salix cordata</i>	Muhl.	Mountain Holly	<i>Nemopanthus Canadensis</i>	D. C.
Glaucus Willow	<i>Salix discolor</i>	Muhl.	Bearberry	<i>Arctostaphylos Uva-ursi</i>	L.
Silky Willow	<i>Salix sericea</i>	Marshall	Green Brier	<i>Smilax rotundifolia</i>	L.
Prairie Willow	<i>Salix humilis</i>	Marshall	Green Brier	<i>Smilax gluca</i>	Walt.
Bibb's Willow	<i>Salix rostrata</i>	Richards	Shining Rose	<i>Rosa lucida</i>	Ehrh.
Dwarf Gray Willow	<i>Salix tristis</i>	Ait.	Swamp Rose	<i>Rosa Carolina</i>	L.
Hoary Willow	<i>Salix candida</i>	Willd.	Purple Flowering Raspberry	<i>Rubus odoratus</i>	L.
Black Willow	<i>Salix falcata</i>	Pursh.	Black Raspberry	<i>Rubus occidentalis</i>	L.
Sassafras	<i>Sassafras officinale</i>	Nees.	High Blackberry	<i>Rubus Villosus</i>	Ait.
Witch Hazel	<i>Hamamelis Virginica</i>	L.	Running Blackberry	<i>Rubus hispidus</i>	L.
Tulip Tree	<i>Liriodendron Tulipifera</i>	L.	Dwarf Blackberry	<i>Rubus triflorum</i>	Rich.
Basswood	<i>Tilia Americana</i>	L.	Dewberry	<i>Rubus Canadensis</i>	L.
Prickly Ash	<i>Zanthoxylum Americanum</i>	Mill.	Bush Honeysuckle	<i>Diervilla trifida</i>	L.
Staghorn Sumach	<i>Rhus typhina</i>	L.	Red Raspberry	<i>Rubus strigosus</i>	Michx.
Smooth Sumach	<i>Rhus Glabra</i>	L.	Shrubby Cinquefoil	<i>Potentilla fruticosa</i>	Linn.







## FERNS, continued

	Per 10	100	1,000
Dicksonia punctilobula . . . . .	\$0 15	\$0 75	\$6 00
Lygodium palmatum . . . . .	60	3 25	
Onoclea sensibilis . . . . .	15	90	6 00
Osmunda cinnamomea . . . . .	1 00	6 00	
Osmunda Claytoniana . . . . .	85	5 00	26 00
Osmunda regalis . . . . .	75	4 00	22 00
Phegopteris hexagonoptera . . . . .	20	2 00	12 00
Phegopteris Dryopteris . . . . .	30	2 00	12 00
Polypodium vulgare . . . . .	15	1 00	6 00
Polystichum acrostichoides . . . . .	25	1 25	9 00
Pteris aquilina . . . . .	20	1 00	7 00
Woodsia ilvensis . . . . .	25	1 50	11 00
Woodsia obtusa . . . . .	40	3 00	
Woodwardia Virginica . . . . .	25	1 75	11 00

## FERN ALLIES

Selaginella lopus . . . . .	35	3 00	
Selaginella rupestris . . . . .	40	3 75	
Equisetum hiemale . . . . .	40	2 00	10 00
Lycopodium lucidulum . . . . .	40	2 00	11 00
Lycopodium clavatum . . . . .	40	2 00	11 00

## SHRUBS AND TREES

	Size in in.	Per 10	100	1,000
Acer Pennsylvanicum . . . . .	10 to 30 . .	\$1 50	\$10 00	
Acer spicatum . . . . .	8 to 30 . .	1 00	10 00	
Azalea nudiflora . . . . .	8 to 24 . .	2 00	15 00	
Arctostaphylos Uva-Ursi . . . . .	4 to 12 . .	1 00	4 00	
Azalea viscosa . . . . .	8 to 24 . .	2 00	14 00	
Cassandra calyculata . . . . .	6 to 12 . .	40	2 00	\$12 00
Ceanothus Americanus . . . . .	8 to 12 . .	50	5 00	18 00
Comptonia asplenifolia . . . . .	8 to 12 . .	50	4 00	12 00
Cornus florida . . . . .	20 to 35 . .	1 00	9 00	
Cornus paniculata . . . . .	20 to 30 . .	50	3 00	12 00
Corylus Americana . . . . .	20 to 35 . .	40	2 00	10 00
Diervilla trifida . . . . .	6 to 12 . .	30	2 00	10 00
Kalmia angustifolia . . . . .	6 to 12 . .	50	7 00	
Kalmia latifolia . . . . .	6 to 20 . .	3 00		
Myrica cerifera . . . . .	8 to 10 . .	80	8 00	
Rhodora Canadensis . . . . .	10 to 15 . .	80	7 00	
Rhus copallina . . . . .	12 to 24 . .	80	6 00	
Rosa Carolina . . . . .	12 to 24 . .	80	7 00	
Rubus odoratus . . . . .	12 to 18 . .	40	2 50	9 00
Rubus strigosus . . . . .	12 to 20 . .	30	1 00	8 00
Spiræa tomentosa . . . . .	12 to 18 . .	20	1 00	6 00
Viburnum acerifolium . . . . .	12 to 30 . .	25	1 50	10 00

IRVING HOLCOMB, Simsbury, Conn.

(Don't do only a small business  
in local trees and shrubs  
(No fruit trees or bushes))